

1F100

CORRES. CONTROL
OUTGONGLTR NO.

DOE ORDER #

9 6 R F O 5400



000063940



**Rocky Mountain
Remediation Services, L.L.C.**
... protecting the environment

Rocky Flats Environmental Technology Site
P.O. Box 464
Golden, Colorado 80402-0464
Phone: (303) 966-2678
Fax: (303) 966-8244

DIST.	LTR	ENC
Bengal, P.		
Benson, C. A.		
Buddy, M. S.		
Burdalik, W. J.		
Evans, C. S.		
Findley, M.		
Guinn, L.		
Hopkins, J.		
Jenkins, K.		
Jierree, C.		
Konwinski, G.		
Law, J. E.	X	X
Ledford, J. A.		
Lovseth, T. P.		
Luker, R. S.		
Mast, E. C.		
McAnally, J. L.		
Motyl, K. M.		
Peterman, B. D.		
Primrose, A. L.		
Power, A.		
Rukavina, F.		
Steffen, D. E.		
Tyson, A. M.	X	X
Zeile, H.		

September 23, 1996

96-RF-05400
96-RM-ER-0135-DOE

Joseph A. Legare
Acting Assistant Manager, Environmental Compliance
DOE, RFFO

Attn.: J. Stover

~~DUDD, R. P.~~ X
~~DUSTAD, L. A.~~ X
~~FISHWEGER, J. V.~~ X
~~HUFFMAN, E. J.~~ X

MONTHLY DISCHARGE MONITORING REPORT - NPDES PERMIT NO. CO-0001333 - JLM-165-96

Action: Transmit to EPA and CDPHE

The August 1996 Discharge Monitoring Report (DMR), required by the Rocky Flats Plant National Pollutant Discharge Elimination System (NPDES) Permit, is attached.

During the month of August 1996, there were no discharges from Pond A-3 (Outfall 002), Pond A-4 (Outfall 005), Pond B-5 (Outfall 006) or Pond C-2 (Outfall 007). There was continuous discharge from Pond B-3 (Outfall 001) and the Sewage Treatment Plant (Outfall STP) during the reporting period.

It is necessary that the Principal Executive Officer sign and date the letter and the DMR forms. Per verbal request of the EPA, forms for those discharge points which were not active are included with the notation of "No Discharge." Additional monitoring data as required by the NPDES Federal Facilities Compliance Agreement is attached on a separate sheet. The NPDES permit requires that the report be postmarked no later than September 28, 1996, and be sent to the following:

Mr. Don Terrell
8-ENF-T
Water Management Division
U.S. E.P.A., Region VIII
999 - 18th Street, Suite 500
Denver, CO 80202-2466

Colorado Department of Public Health and Environment
Attention: Mr. Robert Shukle
Monitoring and Enforcement Section
WQCD - PE - B2
4300 Cherry Creek Drive South
Denver, CO 80222-1530

If you have any questions or desire additional information on this matter please contact K. M. Motyl at extension 2172.

CLASSIFICATION
UCNI
UNCLASSIFIED X X
CONFIDENTIAL
SECRET

AUTHORIZED CLASSIFIER
SIGNATURE

DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE

DATE
IN REPLY TO RFP CC NO.

ACTION ITEM STATUS
☐ OPEN ☐ CLOSED
☐ PARTIAL

LTR APPROVALS:

ORIG & TYPIST INITIALS:

RF-46469 (Rev. 04/96)

↑
OCT 1996
RECEIVED
RECORDS CENTER
ADMIN RECCRD

BZ-A-000473

1/10

Joseph A. Legare
September 23, 1996
96-RF-05400
Page 2

I certify that, to the best of my knowledge and that of my staff, the information used to fill out the DMR is complete and accurate.



James L. McAnally
President, RMRS L.L.C.

LAD:slm

Orig. and 1 cc - Joseph A. Legare

Attachments:
As Stated

cc:

J.	Dion	-	DOE
J. A.	Hill	-	Kaiser-Hill
G. H.	Setlock	-	Kaiser-Hill
D. A.	Ward	-	SSOC

NAME USDOE-ROCKY FLATS PLANT

ADDRESS P O BOX 928

GOLDEN

CO 80402

FACILITY

LOCATION

ATTN: JAMES XXXXXXXX Joseph A. Legare

DISCHARGE MONITORING REPORT (DMR)

MAJOR

STP A

DISCHARGE NUMBER

000001333

PERMIT NUMBER

000001333

PERMIT NUMBER

96-RF-05400

Page 1 of 7

Form Approved

OMB No. 2040-0004

DISCHARGE FAP 05/05/96 TO 07/31/96

Continuous discharge 8/1/96-8/31/96

*** NO DISCHARGE 1-1-1 ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	AVERAGE			QUANTITY OR LOADING (34-61)			MONITORING PERIOD (20-21) (22-23) (24-25)			QUALITY OR CONCENTRATION (26-27) (28-29) (30-31)			UNITS	MAXIMUM (34-61)	NO EX (35-36)	ANALYSIS (37-38)	SAMPLE TYPE (39-40)
			FROM	TO	DAY	YEAR	MO	DAY	MINIMUM	AVERAGE	MAXIMUM	YEAR	MO	DAY					
PH			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(12)	0	7/7	grab	
00400 1 0 0			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	S.U.	0	DAILY	GRAB	
EFFLUENT GROSS VALUE			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	SU	0	DAILY	GRAB	
SOLIDS, TOTAL			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(19)	0	2/7	comp	
SUSPENDED			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	mg/l	0	TWICE/	WEEK	
00530 1 0 0			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	7 DA AVG	0	N/A	N/A	
EFFLUENT GROSS VALUE			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	DAILY	GRAB	
OIL AND GREASE			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(19)	0	2/7	comp	
FREON EXTR-GRAV METH			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	no discharge	0	TWICE/	WEEK	
00556 1 0 0			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	mg/l	0	N/A	N/A	
EFFLUENT GROSS VALUE			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	DAILY	GRAB	
PHOSPHORUS, TOTAL			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(19)	0	2/7	comp	
(AS P)			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	mg/l	0	TWICE/	WEEK	
00665 1 0 0			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	12	0	N/A	N/A	
EFFLUENT GROSS VALUE			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	DAILY MX	0	DAILY	GRAB	
CHROMIUM, TOTAL			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(19)	0	2/7	comp	
(AS CR)			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	TWICE/	WEEK	
01034 1 0 0			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	100	0	N/A	N/A	
EFFLUENT GROSS VALUE			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	DAILY MX	0	DAILY	GRAB	
FLOW, IN CONDUIT OR			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	mg/l	0	1/7	comp	
THRU TREATMENT PLANT			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	TWICE/	WEEK	
50050 1 0 0			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0	N/A	N/A	
EFFLUENT GROSS VALUE			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	
CHLORINE, TOTAL			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(19)	0	2/7	comp	
RESIDUAL			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	mg/l	0	DAILY	GRAB	
50060 1 0 0			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	7 DA AVG	0	DAILY	GRAB	
EFFLUENT GROSS VALUE			*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	MG/L	0	DAILY	GRAB	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	TELEPHONE	DATE
Joseph A. Legare		
Acting Asst. Mgr.		
Environmental Compliance, DOE,		
FFFO \$10,000 and or maximum imprisonment of between 6 months and 5 years		
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE
		303 966-7000
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)	NUMBER	YEAR
IF THERE IS A VISIBLE SHEEN OF OIL AND GREASE REPORTED, A GRAB SAMPLE MUST ALSO BE TAKEN AND REPORTED ON THIS OMR. IF NO VISIBLE SHEEN WAS REPORTED THEN OIL AND GREASE, 00556, SHOULD BE REPORTED AS NO DISCHARGE FOR THE MONTH.		
EPA Form 3320-1 (Rev. 9-88) Previous editions may be used		

NAME USDOE-ROCKY FLATS PLANT

ADDRESS 0 BOX 928

30408 03
GOLDEN

C00001333

PERMIT NUMBER

STP A

DISCHARGE NUMBER

100

Form Approved

OMB No. 2040-0004

015CHA RG E F-Approval\$axp\$es PO-30194 HT PT

Continuous discharge 8/1/96-8/31/96

A T T N = JAWXHX X XX XX HX HX RTGXXH Joseph A. Legare

ATTN: JAXXBX X X X X X X X X X X X X

NOTE: Read instructions before completing this form.

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
76	08	01		76	08	31

NOTE: Read instructions before completing this form.									
Joseph A. Legare									
(3 Card Only) (20-31) (22-23) (24-25)									
(4 Card Only) (26-27) (28-29) (30-31)									
QUALITY OR CONCENTRATION (34-61)									
NO EX (62-64)									
FREQUENCY ANALYSIS (64-68)									
SAMPLE TYPE (69-70)									
PARAMETER (32-37)									
QUANTITY OR LOADING (54-61)									
AVERAGE (46-53)									
MINIMUM (38-45)									
MAXIMUM (54-61)									
UNITS (54-61)									
COLIFORM, FECAL									
GENERAL									
74055 1 0 0									
EFFLUENT GROSS VALUE									
80082 1 0 0									
EFFLUENT GROSS VALUE									
OIL AND GREASE									
VISUAL									
84066 1 0 0									
EFFLUENT GROSS VALUE									
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER									
DATE									
TELEPHONE									
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT									
AREA CODE									
NUMBER									
YEAR									
MO									

ATTENTION: ANY VIOLATIONS (REFERENCE ALL ATTACHMENTS HERE)

IF THERE IS A VISIBLE SHEEN OF OIL AND GREASE REPORTED, A GRAB SAMPLE MUST ALSO BE TAKEN AND REPORTED ON THIS OMR. IF NO VISIBLE SHEEN WAS REPORTED THEN OIL AND GREASE, 00556, SHOULD BE REPORTED AS NO DISCHARGE FOR THE MONTH.

PA Form 3320-1 (Rev. 9-88) Previous editions may be used.

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED)

PAGE . OF .

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME USQUE-ROCKY ELATS PLANT
ADDRESS 0 BOX 928
GOLDEN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(17-19)
MAJOR
C00001333
PERMIT NUMBER
001 A
DISCHARGE NUMBER

Form Approved.
OMB No. 2040-0004
F - FINAL
FROM POND Approval expires 10-31-94
Continuous Discharge 8/1/96-8/31/96
*** NO DISCHARGE ***

FACILITY
LOCATION
ATTN: XXXXXXXXXXXXXXXXXX Joseph A. Legare

MONITORING PERIOD
FROM
YEAR 93 MO 03 DAY 01
TO
YEAR 94 MO 03 DAY 31

PARAMETER (32-37)	QUANTITY OR LOADING (34-61)		QUALITY OR CONCENTRATION (34-61)		AVERAGE (46-53)		MINIMUM (38-45)		MAXIMUM (52-61)		UNITS (19)		NO EX (62-63)		FREQUENCY OF ANALYSIS (64-65)		SAMPLE TYPE (66-70)	
	AVERAGE (46-53)	MAXIMUM (52-61)	UNITS (19)	MINIMUM (38-45)	MAXIMUM (52-61)	UNITS (19)	NO EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (66-70)									
800, 5-DAY (20 DEG. C)	*****	*****		*****	*****	(19)												
00310 1 0 1 EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	3.9 REPORT 30DA AVG	*****	*****	5.1 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
SOLIDS, TOTAL SUSPENDED	*****	*****	*****	*****	*****	<4 REPORT 30DA AVG	*****	*****	<4 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
00530 1 0 1 EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	2.1 REPORT 30DA AVG	*****	*****	3.4 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
NITROGEN, NITRATE TOTAL (AS N)	*****	*****	*****	*****	*****	2.1 REPORT 30DA AVG	*****	*****	3.4 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
00620 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	2.1 REPORT 30DA AVG	*****	*****	3.4 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
CHLORINE, TOTAL RESIDUAL	*****	*****	*****	*****	*****	2.1 REPORT 30DA AVG	*****	*****	3.4 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
50060 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	2.1 REPORT 30DA AVG	*****	*****	3.4 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
800, CARBONACEOUS 5 DAY, 20C	*****	*****	*****	*****	*****	2.1 REPORT 30DA AVG	*****	*****	3.4 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
30082 1 0 1 EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	2.1 REPORT 30DA AVG	*****	*****	3.4 REPORT DAILY MX	mg/l	N/A	1/7 WEEKLY	grab					
SAMPLE MEASUREMENT																		
PERMIT REQUIREMENT																		
SAMPLE MEASUREMENT																		
PERMIT REQUIREMENT																		
SAMPLE MEASUREMENT																		
PERMIT REQUIREMENT																		

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Joseph A. Legare
Acting Asst. Mgr.
Environmental Compliance, DOE
TYPED OR PRINTED
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
DOE
REDO
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
303 966-7000
AREA CODE NUMBER
TELEPHONE
DATE
MO YEAR
DAY

ADDRESS 0 BOX 928

DISCHARGE MONITORING REPORT (DMR)
(2-16) (7-10)

五、

F - FINAL

Form Approved.

F - FINAL OMB No. 2040-0004

DISCHARGE APPROVALS 10-39-94

*** NO DISCHARGE ***
*** XXXI ***

NOTE: Read instructions before completing this form.

MONITORING PERIOD								
FROM		YEAR	MO	DAY	TO	YEAR	MO	DAY
		96	08	01		96	08	31

PARAMETER (32-37)		AVERAGE (46-53)		MAXIMUM (54-61)		UNITS		MINIMUM (18-45)		AVERAGE (46-53)		MAXIMUM (54-61)		UNITS		NO EX (6-36.31)		FREQUENCY OF ANALYSIS (10-46.5)		SAMPLE TYPE (10-9-701)	
PH		SAMPLE MEASUREMENT	*****	*****							*****				(12)						
00400 1 0 0		PERMIT REQUIREMENT	*****	*****	*****	*****	*****	6.0 MINIMUM	*****	*****	*****	9.0 MAXIMUM	SU						DAILY GRAB		
NITROGEN, NITRATE TOTAL (AS N)		SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	(19)							
00620 1 0 0		PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****						DAILY GRAB		
EFFLUENT GROSS VALUE FLOW, IN CONDUIT OR THRU TREATMENT PLANT		SAMPLE MEASUREMENT					(03)						20 DAILY MX MG/L								
50050 1 0 0		PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****					DAILY INSTANT		
EFFLUENT GROSS VALUE		SAMPLE MEASUREMENT					MGD														
		PERMIT REQUIREMENT																			
		SAMPLE MEASUREMENT																			
		PERMIT REQUIREMENT																			
		SAMPLE MEASUREMENT																			
		PERMIT REQUIREMENT																			
		SAMPLE MEASUREMENT																			
		PERMIT REQUIREMENT																			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Joseph A. Legare
Acting Asst. Mgr.
Environmental Compliance, DOE,
TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

303 966-7000

TELEPHONE

DATE

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments below)

NO CHANGE FROM REQUIREMENTS PRIOR TO FFCA - SEE PAGE 8 OF THE PERMIT. THERE SHALL BE NO DISCHARGE OF FLOATING SOLIDS OTHER THAN TRACE AMOUNTS. COMPOSITE SAMPLING FOR NITRATES IS ALLOWED. SEE PERMIT.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME USDOE-ROCKY FLATS PLANT
ADDRESS 0 BOX 923
GOLDEN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16)

CO0001333
PERMIT NUMBER
007 A
DISCHARGE NUMBER

MAJOR
F - FINAL
POND C-2
Form Approved
OMB No. 2040-0004
Approval expires 10-31-94

MONITORING PERIOD
FROM YEAR 98 MO 03 DAY 31
TO YEAR 98 MO 03 DAY 31

ATTN: ~~XXXXXXXXXXXX~~ Joseph A. Legare

PARAMETER (32-37)	QUANTITY OR LOADING (54-61)			QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)			FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (55-60)	MINIMUM (54-61)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (55-60)				
FLOW RATE											
00056 1 0 0	SAMPLE MEASUREMENT	*****		*****	*****	*****	*****				
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****		*****	*****	*****	*****				
CHROMIUM, TOTAL (AS CR)	SAMPLE MEASUREMENT	*****	REPORT DAILY MX MGD	*****	*****	*****	*****				
01034 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****				
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****				
DURATION OF DISCHARGE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****				
81381 1 0 0	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****				
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****				
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

August 1996

Sewage Treatment Plant Effluent Metals Data

Metal, total	Result, ug/l
	<u>08/06/96</u>
Antimony	<60.0
Arsenic	5.3
Beryllium	<5.0
Cadmium	<5.0
Copper	<25.0
Iron	<100.0
Lead	<3.0
Manganese	21.4
Mercury	<0.2
Nickel	<40.0
Silver	<10.0
Zinc	<20.0

Sewage Treatment Plant Effluent Volatile Organic Compound Data

VOC	Result, ug/l
	<u>08/06/96</u>
Benzene	<5
Bromoform	<5
Carbon Tetrachloride	<5
Chlorobenzene	<5
Chlorodibromomethane	<5
Chloroethane	<10
Chloroform	7.0
Dichlorobromomethane	<5
1,1-Dichloroethane	<5
1,2-Dichloroethane	<5
1,1-Dichloroethylene	<5
1,2-Dichloropropane	<5
1,3-Dichloropropylene	<5
Ethylbenzene	<5
Methyl bromide	<10
Methyl chloride	<10
Methylene chloride	<5
1,1,2,2-Tetrachloroethane	<5
Tetrachloroethylene	<5
Toluene	<5
1,2-Trans-dichloroethylene	<5
1,1,1-Trichloroethane	<5
1,1,2-Trichloroethane	<5
Trichloroethylene	<5
Vinyl chloride	<10